




100%
WATERPROOF




**RECYCLED
MATERIALS**



**TERMITE
PROOF**



NON-TOXIC



PRODUCT CATALOG

PVC Celuka Foam Board

PVC celuka foam board is a closed cell foamed PVC consisting of a soft foamed pvc core progressively getting harder from the core outwards and a co-extruded smooth flat surface on both sides. Working temperature ranges from -20 to +60 °C

Standard Size (mm)	Thickness (mm)	Density (g/cm ³)
1220 x 2440	6	0.55
	9	0.55
	12	0.55
	15	0.55
	18	0.55

Key Features

- 100% waterproof, termite proof, zero shrinkage & swelling and eco-friendliness.
- The use of recycled material ensures a sustainable and cost effective material.
- Easy to work with, machine and fabricate means Celuka is a versatile material that offers designers unlimited scope.
- An independent fire performance test has been carried out under ASTM E84-12 / UL 723 and a Class A classification has been obtained.
- Lead free board.



Cutting



Nailing



Drilling



Painting



Gluing



Routing

Many Applications One Material !

- Signage
- Advertising displays
- Exhibition stands
- Model making
- Wall cladding
- Furniture
- Retail displays
- Store fixture
- Protective packaging
- Boat building
- Aerospace industry
- Automotive industry
- Sports equipment
- Exhibits and museums
- Trade shows
- Educational materials
- Photography backdrops
- Stage sets
- Packaging
- Home décor

